10K CAST IRON, GLOBE VALVES

KITZ Fig: 10FCJ

Sizes: 11/2-8inch(40-200mm)

BOLTED BONNET, OUTSIDE SCREW & YOKE, FLANGED ENDS.

Standards

. End to End: JIS B2031

End Connection: JIS B2239 10KWall Thickness: JIS B2031

Test Standard . JIS B2031 Approvals

JIS Product Certification 40-200 mm (11/2-8 inch)

approved

Dimensions

SIZE(inc	h/mm)	L	L1	Н	D1	Kg
11/2	40	190.0	0.0	260.0	160.0	0.00
2	50	200.0	0.0	277.0	180.0	0.00
21/2	65	220.0	0.0	307.0	180.0	0.00
3	80	240.0	0.0	353.0	225.0	0.00
4	100	290.0	0.0	404.0	280.0	0.00
5	125	360.0	0.0	467.0	300.0	0.00
6	150	410.0	0.0	533.0	350.0	0.00
8	200	500.0	0.0	620.0	450.0	0.00

Material List

NAME OF PART	MATERIAL	SPECIFICATION	
ВОДУ	CAST IRON	FC200	
BONNET	CAST IRON	FC200	
STEM	FORGED BRASS	C3771BD	
DISC	CAST BRONZE	CAC406	



10K CAST IRON, GLOBE VALVES, BOLTED BONNET, OUTSIDE SCREW & YOKE, FLANGED ENDS.


End to End : JIS B2031, End Connection : JIS B2239 10K, Wall Tchickness : JIS B2031, Test Standard : JIS B2031, Sizes :


11/2-8inch(40-200mm), Approvals: JIS Product Certification 40-200 mm (11/2-8 inch), BODYMATERIAL: CAST IRON, BONNETMATERIAL: CAST IRON, STEMMATERIAL: FORGED BRASS, DISCMATERIAL: CAST BRONZE, KITZ Fig

: 10FCJ









For more details, please refer to the drawing.

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



